



Ausrack Patch 19" Lab Rack

Index

[Dimension Sheet](#)

[Catalogue Information](#)

[Leaflet](#)


Web Links

[Ausrack Patch Information Page](#)


[Ask a question / Send us an enquiry](#)

[Information about B&R](#)


[Local Sales Team Phone Numbers](#)



Front View



Side View



Base View

Dimensions (mm)

External

| Catalogue No. | A | B | C |
|---------------|------|-----|-----|
| AL40U | 1930 | 550 | 375 |
| AL45U | 2155 | 550 | 375 |



Ausrack Patch

19" Lab Rack

brenclosures.com.au/al.htm



Features

- RU marked rails for easy placement of equipment
- Load bearing capacity of 150 kg
- Supplied in flat pack form for easy delivery
- Easy assembly with only 12 bolts
- Specifications
 - EIA 310-D
 - IEC 60297
- Materials
 - Body – zinc coated steel
 - Frame thickness – 1.6mm
- Surface finish – powdercoat textured matt black



The Ausrack Patch is designed to provide a functional and cost effective solution for network patching applications where accessibility is a major requirement. The open construction particularly suits those wanting full access to equipment at all times. Ausrack Patch system is supplied flat packed and is easy to assemble.

Inclusions


- RU marked frame

Selection Guide


| Catalogue No. | Height (RU) | Dimensions (mm) | | | Load Rating (kg) | Weight (kg) |
|---------------|-------------|-----------------|-------|-------|------------------|-------------|
| | | Height | Width | Depth | | |
| AL40U | 40 | 1930 | 550 | 375 | 150 | 16.5 |
| AL45U | 45 | 2155 | 550 | 375 | 150 | 17.0 |

Accessories

| Product | Description | Catalogue No. | Optional End Cover | AL40U | AL45U |
|---|----------------------------|---------------|--------------------|-------|-------|
| | | | | | |
| Cable management | Vertical system | AL40UC | ALC40UE | • | • |
| | | AL45UC | ALC45UE | • | • |
| | Rings | ALCMR | – | • | • |
| | Horizontal, 1 RU | ARPCM1U | – | • | • |
| | Horizontal, 2 RU | ARPCM2U | – | • | • |
| Shelves – cantilever (black) | 2 RU x 210mm deep | ARC210 | – | • | • |
| | 2 RU x 360mm deep | ARC360 | – | • | • |
| Power rails – horizontal (10A outlets only) SAA | 6 x 10A outlets, 10A plug | ARPRH61010 | – | • | • |
| | 6 x 10A outlets, 15A plug | ARPRH61015 | – | • | • |
| | 10 x 10A outlets, 10A plug | ARPRH101010 | – | • | • |
| | 10 x 10A outlets, 15A plug | ARPRH101015 | – | • | • |
| Cage nuts | 50 pack | ARCN | – | • | • |



19" Lab Rack



OVERVIEW

The Ausrack Patch is a two post frame designed to provide a functional and cost effective solution where accessibility is a major requirement.

The open construction particularly suits those wanting full access to equipment at all times. Ausrack Patch is supplied flat packed and is easy-to-assemble.

MATERIALS

Body: Zinc coated Steel
Body thickness: 1.6mm
Surface finish: Powdercoated textured matt black

APPLICATION

Typically used for network patching applications where accessibility is a requirement.

FEATURES

- EIA-310-D standards compliant
- Load rating of 150kg
- RU marked rails for easy placement of equipment
- Sturdy base suitable for bolting to floor
- Quick and easy-to-assemble
- Supplied flatpacked for delivery to site
- Available in 40RU and 45RU configurations

| Catalogue No. | Height (RU) | Dimensions (mm) | | | Load Rating (kg) | Weight (kg) |
|---------------|-------------|-----------------|-------|-------|------------------|-------------|
| | | Height | Width | Depth | | |
| AL40U | 40 | 1930 | 550 | 375 | 150 | 16.5 |
| AL45U | 45 | 2155 | 550 | 375 | 150 | 17.0 |

Accessories

| Product | Description | Catalogue No. | Optional End Cover |
|--|----------------------------|---------------|--------------------|
| Cable management | Vertical System | AL40UC | ALC40UE |
| | | AL45UC | ALC45UE |
| | Rings | ALCMR | – |
| | Horizontal, 1RU | ARPCMH1U | – |
| | Fingers, 1RU | ARPCMF1U | – |
| | Fingers, 2RU | ARPCMF2U | – |
| Shelves – cantilever (black) | Fingers, 4RU | ARPCMF4U | – |
| | 2RU x 210mm deep | ARC210 | – |
| | 2RU x 360mm deep | ARC360 | – |
| Power rails – horizontal (10A outlets only) SAA | 6 x 10A outlets, 10A plug | ARPRH61010 | – |
| | 6 x 10A outlets, 15A plug | ARPRH61015 | – |
| | 10 x 10A outlets, 10A plug | ARPRH101010 | – |
| | 10 x 10A outlets, 15A plug | ARPRH101015 | – |
| Cage nuts | 50 pack | ARCN | – |



INCLUSIONS

- RU marked frame



Other brands in the B&R Group:



Queensland P: +61 7 3714 1000
Townsville P: +61 7 4775 6255
Sydney P: +61 2 8867 7688
Newcastle P: +61 2 4961 4433
Victoria P: +61 3 8588 8400

South Australia P: +61 8 8417 6200
Western Australia P: +61 8 9248 9744
Tasmania P: +61 3 6331 5545
Northern Territory P: +61 8 8947 0870

Email sales@brenclosures.com.au
 Web www.brenclosures.com.au